

PROFELAC® NURTURE



Low lactose milk supplement for all animals.

SKU: 103040 | Categories: [Infant Animal](#), [Milk Replacer](#) |

Active Constituents:

Low lactose milk ingredients including whey protein concentrate, high-fat (vegetable oil) powder, dried glucose solids, dextrose, lecithin, emulsifiers, and a comprehensive vitamin/mineral premix including OrganoTrace® minerals and Taurine, aromatic flavour and natural antioxidants.

Directions for use:

ProfelAC FEEDING GUIDELINE

Mixing Rate - Dilution A (2,827KJ/L)

1 level scoop (10g) to 60mL warm water. For 1 litre add 13 level scoops (130g) to 900mL of warm water.

Mixing Rate - Dilution B (4,350KJ/L)

1 level scoop (10g) to 40mL warm water. For 1 litre add 20 level scoops (200g) to 900mL of warm water.

FOALS, CALVES, KIDS, FAWNS:

Feed Dilution A throughout milk feeding period.

LAMBS, CRIAS, WILDLIFE ANIMALS, PIGLETS, PUPS, KITTENS, RABBITS:

Start feeding with Dilution A and increase gradually

to Dilution B over 1-2 weeks as the animal tolerates

this formula.

THE TABLE BELOW SHOULD BE USED AS A GUIDE ONLY				
Weight of the animal	100g	200g	500g	1kg
Total daily feed volume	30mL	60mL	150mL	300mL
Weight of the animal	5kg	10kg	50kg	100kg
Total daily feed volume	1L	1.6L	5.4L	9L
FEEDS PER DAY FOR THE FIRST WEEK OF LIFE				
Foals	Feed at 2-3 hourly intervals			
Calves, Lambs, Kids, Crias	2-3 feeds per day			
Pups, Kittens, Fawns	4 feeds per day			
Piglets	4 feeds per day at 100mL each			
Furred Native Animals	4 feeds per day			
Furless Native Animals	6 feeds per day			

Indications:

ProfeLAC NURTURE is a Low Lactose Milk formula designed for hand-rearing all animal species during any stage of life including orphaned milk feeding infants to older animals

requiring extra nutritional support.

Pack Sizes:

103040 375g Jar | 6 units per carton

103045 900g Jar | 6 units per carton

103050 5kg Pail | 2 units per carton

103055 20kg Bag

Precautions: NIL

Storage:

Store below 30°C (Room Temperature) in a cool, dry area. Protect from direct sunlight and moisture. Ensure container is kept sealed and airtight.

Withholding Periods: NIL