

VETRESTART® BOVELYTE



Available from veterinary clinics

Oral electrolyte soluble powder.

SKU: 901625d879a5 | Category: [Veterinary Exclusive](#) |

Active Constituents:

- Dextrose
- Sodium Bicarbonate
- Sodium Chloride
- Potassium Citrate

Directions for use: FEEDING RATES: Refer to product label and feed according to veterinarian

instructions.

Indications: A supportive oral electrolyte solution to replace electrolytes, aid in the reversal of dehydration and supplement both energy and vitamin needs in calves, lambs and kids. Designed for sick calves requiring a rapid-acting and high-dose alkalising electrolyte to counter metabolic acidosis. Oral treatment to complements IV treatments solutions.

Pack Sizes: 105102 2kg Pail | 6 units per carton 105104 4kg Pail | 4 units per carton 105110 10kg Pail | 2 units per carton 105220 20kg Pail **VetreSTART® is available exclusively through veterinary practices.**

Precautions: BOVELYTE contains citrate and bicarbonate that may interfere with the digestion of casein and therefore BOVELYTE should not be mixed with milk. Milk should continue to be the major energy source but milk feeding should be separated from administration of BOVELYTE solutions by at least 2 hours. Long term Bovelyte use should be avoided as bicarbonate can alkalinize (raise the pH) in the abomasum or true stomach which may encourage the overgrowth of pathogenic bacteria in certain circumstances. It is essential that animals have access to ad-libitum water at all times, even when feeding BOVELYTE solutions. Oral electrolyte solutions should only be used for calves, lambs and kids that can stand and suckle. BOVELYTE can be continued another 1 to 2 days if scours persist, but it is important to provide enough milk to supply maintenance energy requirements. If scours persist after 36 hours or if the animal displays weak reflexes or refuses to drink, seek immediate veterinary advice. Use all product within 24 hours of mixing.

Storage: Store below 25°C (Air Conditioning) in a dry place, out of direct sunlight. Protect from air and moisture. Keep container sealed at all times. Reseal container immediately after dispensing. Product will absorb moisture from air (if left unsealed) which may cause crusting on the surface or hardening or powder. If this occurs, break up powder and measure out your requirements as per mixing instructions. Crusting or hardening of powder does not affect product effectiveness.

Withholding Periods: CATTLE MEAT: Zero (0) days MILK: Zero (0) days SHEEP MEAT: Zero (0) days MILK: Zero (0) days **EXPORT SLAUGHTER INTERVAL (ESI) Zero (0) days**

